

L Number	Hits	Search Text	DB	Time stamp
-	379842	information with process\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/22 17:18
-	3812	finger\$print with (id identifi\$6)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/22 17:19
-	1711	(information with process\$4) and (finger\$print with (id identifi\$6))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/23 08:58
-	251	(information with process\$4) and (finger\$print with (id identifi\$6)) and user adj identifi\$6	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/23 08:59
-	231	(information with process\$4) and (finger\$print with (id identifi\$6)) and user with identifi\$6 with finger\$print	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/23 09:00
-	222	(information with process\$4) and (finger\$print with (id identifi\$6)) and user with identifi\$6 with finger\$print and device	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/23 09:01
-	58	(information with process\$4) and (finger\$print with (id identifi\$6)) and user with identifi\$6 with finger\$print and device and user with (information data) and information with (progressive histor\$4 environment)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/04/12 14:43
-	30	(information with process\$4) and (finger\$print with (id identifi\$6)) and user with identifi\$6 with finger\$print and device and user with (information data) and information with (progressive histor\$4 environment) and finger\$print with image	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/23 09:38
-	19	(information with process\$4) and (finger\$print with (id identifi\$6)) and user with identifi\$6 with finger\$print and device and user with (information data) and information with (progressive histor\$4 environment) and finger\$print with image and finger\$print with feature	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/23 09:09
-	42	(information with process\$4) and (finger\$print with (id identifi\$6)) and user with identifi\$6 with finger\$print and device and user with (information data) and information with (progressive histor\$4 environment) not ginter.in. not nec.as.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/23 09:37
-	0	(information with process\$4) and (finger\$print with (id identifi\$6)) and user with identifi\$6 with finger\$print and device and user with (information data) and information with (progressive histor\$4 environment) not ginter.in. not nec.as. and 707/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/23 09:37
-	15	(information with process\$4) and (finger\$print with (id identifi\$6)) and user with identifi\$6 with finger\$print and device and user with (information data) and information with (progressive histor\$4 environment) and finger\$print with image not ginter.in. not nec.as.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/02 12:57
-	12811	finger\$print	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/23 14:55

-	897	finger\$print and device with (picture book game retrieval)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/23 14:56
-	497	finger\$print and device with ("picture book" game retrieval)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/23 14:56
-	108	finger\$print and device near ("picture book" game retrieval)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/23 14:56
-	0	finger\$print and "picture book" adj device and game adj device and retrieval adj device	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/23 14:58
-	0	finger\$print and "picture book" adj device and game adj device and retriev\$4 adj device	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/23 14:57
-	0	finger\$print and "picture book" adj device and game adj device	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/23 14:58
-	0	finger\$print and game adj device and retrieval adj device	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/23 14:59
-	0	finger\$print and game adj device and retriev\$4 adj device	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/23 15:00
-	70	finger\$print and game adj device	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/23 15:00
-	2	finger\$print and game adj device with processing	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/23 15:02
-	1	finger\$print and gam\$4 adj device with process\$4 adj device	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/23 15:05
-	0	finger\$print and picture adj device with process\$4 adj device	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/23 15:10
-	66	finger\$print and picture with device with process\$4 with device	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/23 15:11
-	233	finger\$print and picture with device and process\$4 with device	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/23 15:12
-	15	(information with process\$4) and (finger\$print with (id identifi\$6)) and user with identif\$6 with finger\$print and device and user with (information data) and information with (progressive histor\$4 environment) and finger\$print with image and feature with stor\$4 not ginter.in. not nec.as.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/02 12:33

-	9	(information with process\$4) and (finger\$print with (id identifi\$6)) and user with identif\$6 with finger\$print and device and user with (information data) and information with (progressive histor\$4 environment) and finger\$print with image and feature with stor\$4 and feature with group not ginter.in. not nec.as.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/04/12 14:31
-	11	(information with process\$4) and (finger\$print with (id identifi\$6)) and user with identif\$6 with finger\$print and device and user with (information data) and information with (progressive histor\$4 environment) and finger\$print with image and feature with stor\$4 and feature with set not ginter.in. not nec.as.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/02 12:34
-	13	(information with process\$4) and (finger\$print with (id identifi\$6)) and user with identif\$6 with finger\$print and device and user with (information data) and information with (progressive histor\$4 environment) and finger\$print with image and feature with stor\$4 and feature with (plurali\$4 set) not ginter.in. not nec.as.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/02 12:35
-	2	(information with process\$4) and (finger\$print with (id identifi\$6)) and user with identif\$6 with finger\$print and device and user with (information data) and information with (progressive histor\$4 environment) and finger\$print with image and progressive not ginter.in. not nec.as.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/02 12:58
-	2	(information with process\$4) and (finger\$print with (id identifi\$6)) and user with identif\$6 with finger\$print and device and user with (information data) and information with (progressive histor\$4 environment) and finger\$print with image and suspen\$4 and resum\$4 not ginter.in. not nec.as.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/02 12:58
-	14741	finger\$print	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/02 12:58
-	239	finger\$print and suspen\$6 and resum\$6	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/02 12:59
-	146	finger\$print and suspen\$6 and resum\$6 and progress\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/02 13:00
-	130	finger\$print and suspen\$6 and resum\$6 and progress\$4 and exact\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/02 13:00
-	3	finger\$print and suspen\$6 and resum\$6 and progress\$4 and exact\$4 adj (place location state)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/02 13:01
-	0	finger\$print and suspen\$6 and resum\$6 and progress\$4 and exact\$4 with (place location state) with resum\$6	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/02 13:02
-	0	finger\$print and suspen\$6 and resum\$6 and progress\$4 and exact\$4 with (place location state) with suspen\$6	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/02 13:02

-	0	finger\$print and (suspen\$6 interrupt\$4) and resum\$6 and progress\$4 and (precis\$4 exact\$4) with (place location state) with suspen\$6	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/02 13:03
-	37	finger\$print and suspen\$6 and resum\$6 and progress\$4 and exact\$4 with (place location state) and biometric	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/02 13:04
-	0	finger\$print and suspen\$6 and resum\$6 and progress\$4 and exact\$4 with (place location state) and biometric with resum\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/02 13:05
-	0	finger\$print and suspen\$6 and resum\$6 and progress\$4 and exact\$4 with (place location state) and biometric with resum\$6	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/02 13:05
-	0	finger\$print and suspen\$6 and resum\$6 and progress\$4 and exact\$4 with (place location state) and biometric with suspen\$6	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/02 13:05
-	0	finger\$print and suspen\$6 and resum\$6 and progress\$4 and exact\$4 with (place location state) with (suspen\$6 resum\$6) and biometric	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/02 13:06
-	0	finger\$print and suspen\$6 and resum\$6 and progress\$4 and exact\$4 with (suspen\$6 resum\$6) and biometric	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/02 13:06
-	1	finger\$print and suspen\$6 and resum\$6 and progress\$4 and suspen\$6 with resum\$6 and biometric	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/02 13:12
-	18	finger\$print and suspen\$6 and (resum\$6 recover\$4) and progress\$4 and suspen\$6 with resum\$6	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/02 13:13
-	1	finger\$print and suspen\$6 and (resum\$6 recover\$4) and progress\$4 and suspen\$6 with resum\$6 and biometric	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/02 13:14
-	1	finger\$print and suspen\$6 and (resum\$6 recover\$4) and progress\$4 and suspen\$6 with (recover\$4 resum\$6) and biometric	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/02 13:15
-	10	finger\$print and (paus\$4 suspen\$6) and (resum\$6 recover\$4) and progress\$4 and (paus\$4 suspen\$6) with (recover\$4 resum\$6) and biometric	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/02 13:18
-	15	finger\$print and (paus\$4 suspen\$6) and (resum\$6 recover\$4) and (progress\$4 status) and (paus\$4 suspen\$6) with (recover\$4 resum\$6) and biometric	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/02 13:25
-	15	finger\$print and (paus\$4 suspen\$6) and (resum\$6 restart\$4 recover\$4) and (progress\$4 status) and (paus\$4 suspen\$6) with (recover\$4 resum\$6) and biometric	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/02 13:25
-	24	finger\$print and (paus\$4 sleep\$4 suspen\$6) and (resum\$6 awak\$4 wak\$4 restart\$4 recover\$4) and (progress\$4 status) and (paus\$4 sleep\$4 suspen\$6) with (recover\$4 resum\$6 awak\$4 wak\$4) and biometric	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/02 13:33
-	193	finger\$print and (paus\$4 sleep\$4 suspen\$6) and (resum\$6 awak\$4 wak\$4 restart\$4 recover\$4) and (progress\$4 status) and biometric\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/02 13:33
-	25	finger\$print and (paus\$4 sleep\$4 suspen\$6) with (resum\$6 awak\$4 wak\$4 restart\$4 recover\$4) and (progress\$4 status) and biometric\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/02 15:10

-	73	finger\$print and suspen\$6 and resum\$6 and progress\$4 and exact\$4 with (place location state)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/02 13:40
-	64	(finger\$print biometric\$4) and (paus\$4 sleep\$4 suspen\$6) with (resum\$6 awak\$4 wak\$4 restart\$4 recover\$4) and (progress\$4 status) and biometric\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/02 13:41
-	64	(paus\$4 sleep\$4 suspen\$6) with (resum\$6 awak\$4 wak\$4 restart\$4 recover\$4) and (progress\$4 status) and biometric\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/03 12:01
-	166	(paus\$4 sleep\$4 suspen\$6) with (resum\$6 awak\$4 wak\$4 restart\$4 recover\$4) and (progress\$4 status) and (thumb\$print finger\$print)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/02 15:15
-	1	(paus\$4 sleep\$4 suspen\$6) with (resum\$6 awak\$4 wak\$4 restart\$4 recover\$4) and (progress\$4 status) and (thumb\$print and finger\$print)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/02 15:17
-	7	(paus\$4 sleep\$4 suspen\$6) and (resum\$6 awak\$4 wak\$4 restart\$4 recover\$4) and (progress\$4 status) and (thumb\$print and finger\$print)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/02 15:18
-	3639	(paus\$4 sleep\$4 suspen\$6) with operation and (resum\$6 awak\$4 wak\$4 restart\$4 recover\$4) with operation and (progress\$4 status)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/03 12:02
-	24	(paus\$4 sleep\$4 suspen\$6) with operation and (resum\$6 awak\$4 wak\$4 restart\$4 recover\$4) with operation and (progress\$4 status) and exact\$4 with (position point place) with resum\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/03 12:02
-	0	(paus\$4 sleep\$4 suspen\$6) with operation and (resum\$6 awak\$4 wak\$4 restart\$4 recover\$4) with operation and (progress\$4 status) and exact\$4 with (position point place) with resum\$6 and biometric	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/03 12:03
-	24	(paus\$4 sleep\$4 suspen\$6) with operation and (resum\$6 awak\$4 wak\$4 restart\$4 recover\$4) with operation and (progress\$4 status) and exact\$4 with (position point place) with resum\$6	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/03 12:07
-	18	(paus\$4 sleep\$4 suspen\$6) with operation and (resum\$6 awak\$4 wak\$4 restart\$4 recover\$4) with operation and (progress\$4 status) and exact\$4 with (position point place) with resum\$6 and progress\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/02/03 12:07
-	1	6307956.pn.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/04/12 14:28
-	1	5978924.pn.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/04/12 14:43